



EMERGENCY RECORD

Date _____

Student _____

Home Phone _____

Grade _____ Gender _____

Birth Date _____

Child lives with: Both Parents Mother Father Other _____

Please use area code and identify phone number types: W = Work C = Cell E = Evening

Parent or Guardian 1 _____

Relationship to Student _____

Phone 1 _____ Phone 2 _____ Phone 3 _____ Child Lives With

Email _____ Stepparent _____

Address (if different than above) _____

Parent or Guardian 2 _____

Relationship to Student _____

Phone 1 _____ Phone 2 _____ Phone 3 _____ Child Lives With

Email _____ Stepparent _____

Address (if different than above) _____

Immunizations within the last year for returning students (Type, mo/day/yr) _____

Chronic condition(s) _____

Allergies _____

Medications _____

IN CASE OF EMERGENCY

Contact 1 _____

Relationship to Student _____

Phone 1 _____ Phone 2 _____ Phone 3 _____

Contact 2 _____

Relationship to Student _____

Phone 1 _____ Phone 2 _____ Phone 3 _____

In case of illness or mild accidents, our procedure will be to contact the parent at home or at work; or the person designated on this emergency record. In case of a severe emergency, an ambulance will be called to take your child to an emergency care center. We will attempt to call you as soon as possible.

POTASSIUM IODIDE PARENT/GUARDIAN INFORMED CONSENT FORM

Reason for Taking Potassium Iodide

In the case of an accident at a nuclear power plant or what is known as a radiological emergency, radioactive iodine will be released into the air. This material may be inhaled or ingested and enter the thyroid gland where it can cause cancer and/or disease. Children and infants are the most vulnerable to this occurrence. When taken by pill or liquid, potassium iodide (KI) floods the thyroid with non-radioactive iodine and prevents the thyroid from absorbing radioactive material. Potassium iodide needs to be given before or shortly after exposure to radiation. Potassium iodide works only to prevent the thyroid from absorbing radioactive iodine.

Potential Side Effects of Potassium Iodide

It is possible to experience **any or all** of the following side effects when taking Potassium Iodide:

- Allergic reaction
- Upset Stomach
- Rash

Risks of Taking Potassium Iodide

Taking Potassium Iodide is safe for most people. Potassium Iodide should not be taken if someone:

- Is allergic to iodine
- Has Graves' Disease or any other thyroid illness
- Takes thyroid medication
- Has Dermatitis Herpetiformis or Hypocomplementemic Vasculitis

Administration of Potassium Iodide

The recommended dose of Potassium Iodide is 1 tablet (65 mg) for children 3 years and up who weigh less than 150 pounds and 2 tablets (130 mg) for children over 12 who weigh at least 150 pounds. The recommended dose of Potassium Iodide **will only be given:**

- In case of a radiological emergency
- Directed by public health officials
- If a parent/guardian signs a consent form for a child

I consent to have Holy Spirit Academy administer Potassium Iodide (KI) to my child.

Yes

No

I have read and understand the information on this page regarding Potassium Iodide administration.

Parent or Guardian Signature _____ **Date** _____